

# The Cape Town Declaration on Access to Cardiac Surgery in the Developing World

Peter Zilla<sup>1</sup>, R Morton Bolman<sup>2</sup>, Magdi H Yacoub<sup>3</sup>,  
 Friedhelm Beyersdorf<sup>4</sup>, Karen Sliwa<sup>5</sup>, Liesl Zühlke<sup>6</sup>,  
 Robert SD Higgins<sup>7</sup>, Bongani Mayosi<sup>8</sup>, Alain Carpentier<sup>9</sup>  
 and David Williams<sup>10</sup>

Asian Cardiovascular & Thoracic Annals  
 2018, Vol. 26(7) 535–539

© The Author(s) 2018

Article reuse guidelines:

sagepub.com/journals-permissions

DOI: 10.1177/0218492318791359

journals.sagepub.com/home/aan



© 2018 by by STS, AATS, Clinics Cardive Publishing (Pty) Ltd., EACTS, National Center of Cardiovascular Disease, Polish Society of Cardiothoracic Surgeons, SAGE Publications Ltd., SA Heart, and SAMJ.

**The Mission: To urge all relevant entities within the international cardiac surgery, industry, and government sectors to commit to develop and implement an effective strategy to address the scourge of rheumatic heart disease in the developing world through increased access to life-saving cardiac surgery.**

Twelve years after cardiologists and cardiac surgeons from all over the world issued the “Drakensberg Declaration on the Control of Rheumatic Fever and Rheumatic Heart Disease in Africa,” calling on the world community to address the prevention and treatment of rheumatic heart disease (RHD) through improving living conditions, to develop pilot programs at selected sites for control of rheumatic fever and rheumatic heart disease, and to periodically review progress made and challenges that remain [1], RHD still accounts for a major proportion of cardiovascular diseases in children and young adults in low- and middle-income countries, where more than 80% of the world population live. Globally equal in prevalence to human immunodeficiency virus infection, RHD affects 33 million people worldwide [2].

Prevention efforts have been important but have failed to eradicate the disease. At the present time, the only effective treatment for symptomatic RHD is open heart surgery, yet that life-saving cardiac surgery is woefully absent in many endemic regions. In this declaration, we propose a framework structure to create a coordinated and transparent international alliance to address this inequality.

Elimination of RHD and relief from its debilitating consequences can only occur through interdisciplinary effort, as outlined in the Cairo Accord [3]. Previous initiatives have focused on primary and secondary prevention of RHD [4]. Their declarations have been recognized by the Heads of State of African Union

countries and by the World Health Organization. This recognition has been important in developing recommendations by the World Health Organization Executive Board to the 2018 World Health Assembly to enlist global commitment to RHD.

Progress in prevention of RHD has been slow during the past 15 years [5], and thus, surgery will likely remain an integral part of RHD treatment for several generations. Lack of access to cardiac surgery services and the cost of valve replacement render this disease fatal for millions of patients. In endemic regions of low-income countries, the need for cardiac surgery is estimated at 300 operations per 1 million population (“Global Unmet Needs in Cardiac Surgery,”

<sup>1</sup>Christiaan Barnard Division of Cardiothoracic Surgery, Faculty of Health Sciences, University of Cape Town, Cape Town, South Africa

<sup>2</sup>Division of Cardiothoracic Surgery, University of Vermont, Burlington, Vermont

<sup>3</sup>Chain of Hope, Chelsea, London, United Kingdom

<sup>4</sup>Department of Cardiovascular Surgery, Universitäts-Herzzentrum Freiburg–Bad Krozingen, Freiburg, Germany

<sup>5</sup>Hatter Institute of Cardiovascular Research in Africa, Faculty of Health Sciences, University of Cape Town, Cape Town, South Africa

<sup>6</sup>Division of Pediatric Cardiology, Department of Pediatrics and Child Health, University of Cape Town, Cape Town, South Africa

<sup>7</sup>Department of Surgery, Johns Hopkins Medicine, Baltimore, Maryland

<sup>8</sup>Faculty of Health Sciences, University of Cape Town, Cape Town, South Africa

<sup>9</sup>Hôpital Européen Georges Pompidou, Paris, France

<sup>10</sup>Wake Forest Institute of Regenerative Medicine, Wake Forest School of Medicine, Winston-Salem, North Carolina

This article is copublished in *The Annals of Thoracic Surgery*, *Asian Cardiovascular and Thoracic Annals*, *Cardiovascular Journal of Africa*, *Chinese Circulation Journal*, *European Journal of Cardio-Thoracic Surgery*, *The Journal of Thoracic and Cardiovascular Surgery*, *Polish Journal of Thoracic and Cardiovascular Surgery*, *South African Heart Journal*, and *South African Medical Journal*.

## Corresponding author:

Peter Zilla, University of Cape Town/Groote Schuur Hospital, Chris Barnard Division of Cardiothoracic Surgery, Chris Barnard Building, 3rd Flr, 3 Anzio Rd Observatory, Cape Town, South Africa.  
 Email: peter.zilla@uct.ac.za

unpublished work by Zilla and colleagues), yet, the nearly 1 billion people living in Sub-Saharan Africa between the Maghreb and South Africa have access to only 22 cardiac centers [6]. Although there is 1 cardiac center per 120,000 people in the United States, there is only 1 center per 33 million in Africa. Furthermore, RHD is not restricted to Sub-Saharan Africa. India, Pakistan, China, and Indonesia together account for 72% of mortality of RHD cases worldwide [2].

We strongly endorse the position that building local capacity is the best solution for this serious public health problem. Many lives have been saved by humanitarian “fly-in” missions, but these efforts are neither sustainable nor cost-effective. The nongovernment organizations associated with these programs are shifting focus toward building long-term partnerships with host countries to develop autonomous local services with government buy-in [7]. A massive investment in new cardiac centers in these regions is unrealistic; globally, an additional few thousand cardiac centers would be required to address the unmet needs (“Global Unmet Needs in Cardiac Surgery,” unpublished work by Zilla and colleagues).

It is not sufficient for governments and nongovernment organizations to support the training of cardiologists and cardiac surgeons from these regions at high-income country facilities, because they will not be trained in most of the pathologies awaiting them in their own countries and will be unfamiliar with resource-constrained circumstances.

There is an urgent need for a concerted effort by all stakeholders to address the plight of the poor in these regions who need cardiac surgery. As signatories and endorsing organizations of the Cape Town Declaration, we propose a comprehensive solution with two principal aims.

**Aim 1: To establish an international working group (coalition) of individuals from cardiac surgery societies and representatives from industry, cardiology, and government to evaluate and endorse the development of cardiac care in low- to middle-income countries.**

It is proposed that the international coalition will have 2 representatives from each of the major cardiac surgery societies (The Society of Thoracic Surgeons, American Association for Thoracic Surgery, European Association for Cardio-Thoracic Surgery, The Asian Society for Cardiovascular and Thoracic Surgery), and ideally, 2 additional committed members. There will be at least 1 representative from industry and at least 1 appointee to represent cardiology/the World Heart Federation. The responsibilities of the Coalition will include establishing criteria for centers for clinical care and training as well as selecting and endorsing the centers. The Coalition will derive metrics of quality and performance for the endorsed centers of training

and clinical care and will encourage standardization of care to the extent possible.

The Coalition will advocate mutually agreed policies and prescriptions to relevant governmental bodies. In addition, the Coalition will engage industry and private sources of philanthropy for financial assistance with large-scale initiatives.

**Aim 2: To advocate for the training of cardiac surgeons and other key specialized caregivers at identified and endorsed centers in low- to middle-income countries.**

The case has been made above for critical providers obtaining training in settings and conditions and dealing with the cardiac pathologies that they will be encountering in their practice in their countries of origin.

It is preferred that centers endorsed by this Coalition be based on an alliance of four stakeholders: a program initiator (eg, a government, a university, or a nongovernment organization), an audited training center in a low- to middle-income country, a committed partner institution in a high-income country, and a consortium of industry that would sign on as benefactors to the specific program. Because regional centers in low- to middle-income countries typically operate within a resource-scarce environment, resulting in lower case numbers than needed for the training of outside residents, a facilitated capacity increase to help achieve higher case numbers would benefit all participants.

**Summary: It is imperative that action be taken urgently. A nucleus of 1 to 3 centers should be identified and endorsed, with coordination by global stakeholders, as quickly as possible. The implementation of this initiative will only be made possible by the endorsement of all the relevant cardiothoracic societies and agencies subscribing to clearly defined targets and timelines, and committing appropriate resources. The time to act is now.**

## Signatories

### *For Cardiothoracic Societies (in alphabetical order)*

- Bongani Mayosi (Past-President, Pan-African Society of Cardiology [PASCAR], South Africa)
- Charles Yankah (President, Pan-African Society for Cardiothoracic Surgery [PASCATS], Ghana/Germany)
- David Wood (President, World Heart Federation [WHF], United Kingdom)
- Friedhelm Beyersdorf (Editor in Chief, *European Journal of Cardio-Thoracic Surgery*, Germany)
- James Kirklin (Representative, American Association for Thoracic Surgery [AATS], USA)
- Jose Pomar (Past President, European Association for Cardio-Thoracic Surgery [EACTS], Spain)

- Joseph Bavaria (Past-President, The Society of Thoracic Surgeons [STS], USA)
- Juan Mejia (Representative, Brazilian Society of Cardiovascular Surgery, Brazil)
- Karen Sliwa (President-Elect, World Heart Federation [WHF], South Africa)
- Kumud Dhital (Representative, Australian & New Zealand Society of Cardiac and Thoracic Surgeons [ANZSCTS], Australia)
- Liesl Zühlke (President, South African Heart Association, South Africa)
- R Morton Bolman, III (Representative, American Association for Thoracic Surgery [AATS], USA)
- Robert Kleinloog (President, Society of Cardiothoracic Surgeons of South Africa [SCTSSA], South Africa)
- Robert S.D. Higgins (President Elect, The Society of Thoracic Surgeons [STS], USA)
- Shinichi Takamoto (President, Asian Society for Cardiovascular and Thoracic Surgery [ASCVTS], Japan)
- Wei Wang (Representative, Chinese Society for Thoracic and Cardiovascular Surgery, China)
- Lee Chuen Neng (Biomedical Institute for Global Health Research & Technology, Singapore)
- Lenias Hwenda (Chief Executive Officer, Medicines for Africa, Zimbabwe/Switzerland)
- Markus Stirner-Schilling (VP Marketing & Academy, Europe, Middle East & Africa, Getinge, Germany)
- Michael P. Phalen (Executive President, MedSurg Boston Scientific, USA)
- Patrice Matchaba (Global Head Corporate Responsibility, Novartis, Switzerland)
- Raenette Taljaard (“Economic Research of South Africa” [ERSA], South Africa)
- Salah Malek (President, Middle East and Africa, Getinge, United Arab Emirates)
- Samukeliso Dube (Chief Medical Officer, Royal Philips, Netherlands)
- Sidhant Jena (Chief Executive Officer, Jana Care, USA)
- Tim Ring (Chairman and Chief Executive Officer, C.R. Bard Inc, USA)

#### ***Humanitarian and Government Organizations (in alphabetical order)***

- Afksendiyos Kalangos (President: Kalangos Foundation, Greece)
- Alain Carpentier (Alain Carpentier Foundation, France)
- Magdi Yacoub (President, Chain of Hope, United Kingdom/Egypt)
- Nicole Sekarski (Le Petit Coeur, Switzerland)
- René Prêtre (Le Petit Coeur, Switzerland)
- Richard Kamwi (Past Minister of Health, Namibia)
- Sylvain Chauvaud (La Chaîne de l’Espoir, France)

#### ***Industry and Health Economy Representatives (in alphabetical order)***

- Alistair Simpson (General Manager Cardiac Surgery, LivaNova, United Kingdom)
- Barry Wilson (Former President, Medtronic International)
- Devi Prasad Shetty (NH Group, India)
- Francois Bonnici (Director, Bertha Centre for Social Innovation and Entrepreneurship, South Africa)
- Helmut Straubinger (Ex Chief Executive Officer, Jena Valve; Chief Executive Officer, Tricares, Germany)
- Iraj Abedian (Pan-African Capital Holding, South Africa)
- Jacques Kpodonu (Author, Global Health Innovations, USA/Ghana)
- Kathryn Gleason (Co-Founder, TeamFund Inc)

#### ***For Major Journals and Publications (in alphabetical order)***

- Dan Ncayiyana (Past Editor in Chief, *South African Medical Journal*, South Africa)
- David Williams (Past Editor in Chief, *Biomaterials*, USA)
- Friedhelm Beyersdorf (Editor in Chief, *European Journal of Cardio-Thoracic Surgery*, Germany)
- G Alexander Patterson (Editor in Chief, *The Annals of Thoracic Surgery*, USA)
- JP van Niekerk (Past Editor in Chief, *South African Medical Journal*, South Africa)
- Marko Turina (Past Editor in Chief, *European Journal of Cardio-Thoracic Surgery*; Past Editor in Chief, Cardiothoracic Surgery Network [CTSNet] and *Multimedia Manual of Cardio-Thoracic Surgery*, Switzerland)
- Sampath Kumar (Editor in Chief, *Asian Cardiovascular and Thoracic Annals*, India)

#### ***Other Signatory Delegates to the Cape Town Dialogue (in alphabetical order)***

- Abdelmalek Bouzid (Algeria)
- Agneta Simionescu (USA)
- Allan Glanville (Australia)
- Ana Olga Mocumbi (Mozambique)
- Andrea Griesmacher (Austria)
- Andreas Zuckermann (Austria)
- Beath Walpoth (Switzerland)
- Bernard Gersh (USA)
- Bojan Biocina (Croatia)

Bruno Podesser (Austria)  
 Bruno Reichart (Germany)  
 Carlijn Bouten (Netherlands)  
 Christian Hagl (Germany)  
 Claudia Goetsch (Germany)  
 Craig Goergen (USA)  
 Cynthia St. Hilaire (USA)  
 Dan Simionescu (USA)  
 Darshan Reddy (South Africa)  
 David Cooper (USA)  
 David Vorp (USA)  
 Devagourou Velayodamu (India)  
 Eduardo Becerra (Chile)  
 Elena Aikawa (USA)  
 Elmi Muller (South Africa)  
 Francis Smit (South Africa)  
 Frederick C de Beer (USA)  
 Gennadiy Khubulava (Russia)  
 Georg Lutter (Germany)  
 Georg Wieselthaler (USA)  
 Gino Gerosa (Italy)  
 Giovanni Ferrari (USA)  
 Giuseppe Faggian (Italy)  
 Glen Gaudette (USA)  
 Guenther Laufer (Austria)  
 Hector Sanchez (Argentina)  
 Hendrik Treede (Germany)  
 Henning Rud Andersen (Denmark)  
 Hermann Reichenspurner (Germany)  
 Howard Eisen (USA)  
 Ivan Netuka (Czech Republic)  
 Jacques Scherman (South Africa)  
 Jim Schurman (USA)  
 Jo Meinhart (Austria)  
 Johan Brink (South Africa)  
 John Curci (USA)  
 Joshua Hutcheson (USA)  
 Justiaan Swanevelder (South Africa)  
 Luke Brewster (USA)  
 Manuel Antunes (Portugal)  
 Manfred Deutsch (Austria)  
 Martin Grabenwoeger (Austria)  
 Masanori Aikawa (USA)  
 Mathias Mueller (Austria)  
 Max Emmert (Switzerland)  
 Mervyn Gotsman (Israel)  
 Michael Knaut (Germany)  
 Mike Wolf (USA)  
 Minoru Ono (Japan)  
 Mpiko Ntsekhe (South Africa)

Nicolas l'Heureux (France)  
 Nir Uriel (USA)  
 Norberto de Vega (Spain)  
 Olga Plattner (Austria)  
 Otmar Pachinger (Austria)  
 Patrick Commerford (South Africa)  
 Paul Mohacsi (Switzerland)  
 Rainald Seitelberger (Austria)  
 Richard Bianco (USA)  
 Richard Daly (USA)  
 Robin Kleinloog (South Africa)  
 Robert Frater (USA)  
 Saeid Hosseini (Iran)  
 Simon Hoerstrup (Switzerland)  
 Simon Maltais (USA)  
 Simon Matskeplishvili (Russia)  
 Solomon Benatar (South Africa/Canada)  
 Stephan Schueller (United Kingdom)  
 Susan Vosloo (South Africa)  
 Taweesak Chotivatanapong (Thailand)  
 Ted Feldman (USA)  
 Teddy Fischlein (Germany)  
 Theodoros Kofidis (Singapore)  
 Timothy Pennel (South Africa)  
 Toshi Shinoka (USA)  
 Ulf Hedin (Sweden)  
 Ulrich Steinseifer (Germany)  
 Volkmar Falk (Germany)  
 Walter Klepetko (Austria)  
 Willie Koen (South Africa)

#### Declaration of conflicting interests

The author(s) declared no potential conflicts of interest with respect to the research, authorship, and/or publication of this article.

#### Funding

The author(s) received no financial support for the research, authorship, and/or publication of this article.

#### References

1. Mayosi B, Robertson K, Volmink J, et al. The Drakensberg declaration on the control of rheumatic fever and rheumatic heart disease in Africa. *S Afr Med J* 2006; 96: 246.
2. Watkins DA, Johnson CO, Colquhoun SM, et al. Global, regional, and national burden of rheumatic heart disease, 1990–2015. *N Engl J Med* 2017; 377: 713–722.

3. Yacoub M, Mayosi B, El Guindy A, Carpentier A and Yusuf S. Eliminating acute rheumatic fever and rheumatic heart disease. *Lancet* 2017; 390: 212–213.
4. Watkins D, Zühlke L, Engel M, et al. Seven key actions to eradicate rheumatic heart disease in Africa: the Addis Ababa communiqué. *Cardiovasc J Afr* 2016; 23: 184–187.
5. Zühlke LJ and Karthikeyan G. Primary prevention for rheumatic fever. *Glob Heart* 2013; 8: 221–226.
6. Yankah C, Fynn-Thompson F, Antunes M, et al. Cardiac surgery capacity in sub-Saharan Africa: quo vadis? *Thorac Cardiovasc Surg* 2014; 62: 393–401.
7. Swain J, Sinnott C, Breakey S, et al. Ten-year clinical experience of humanitarian cardiothoracic surgery in Rwanda: building a platform for ultimate sustainability in a resource-limited setting. *J Thorac Cardiovasc Surg* 2018; 155: 2541–2550.